

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17880	709/217 or 711/112 or 711/163 or 713/200 or 713/201 or 711/114	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/28 10:07
S2	295	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) and (access near10 (storage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 09:45
S3	74	S1 and S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 09:45
S4	3376	713/200	USPAT	OR	OFF	2004/10/22 14:27
S5	3252	713/201	USPAT	OR	OFF	2004/10/22 14:27
S6	1436	713/202	USPAT	OR	OFF	2004/10/22 14:28
S7	48	(company\$1 company vendor manufactories manufacturer) and (((world\$1wide adj1 name) (world adj1 wide adj1 name) wwn))	USPAT	OR	OFF	2004/10/22 14:28
S8	229	(company\$1 company vendor manufactories manufacturer) and (((world\$1wide adj1 name) (world adj1 wide adj1 name) wwn))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 14:47
S9	13	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) same (group\$3 near10 (cpu hosts computers microprocessors))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:31
S10	44	((port adj1 login) plogi) same (plogi adj1 frame)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:29
S11	400	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:29
S12	88517	access near10 (storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:31
S13	293	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) and (access near10 (storage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/11/01 09:45
S14	82	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) and (group\$3 near10 (cpu hosts computers microprocessors))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:31
S15	53831	new near10 (host computer cpu)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:32
S16	110	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) and (access near10 (storage))) and (new near10 (host computer cpu))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:33

EAST Search History

S17	83	((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) same (access near10 (storage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:32
S18	110	(new near10 (host computer cpu)) and (((world\$1wide adj1 name) wwn) (world adj1 wide adj1 name)) and (access near10 (storage))) and (new near10 (host computer cpu)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:38
S19	1	"20010020254"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/10/22 14:39
S20	3396	(add adding remove removing delet\$3) same (host computer) same (access permit deny) same storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:49
S21	300	(add adding remove removing delet\$3) near20 (host computer) near20 (access permit deny) near20 storage	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 09:35
S22	0	S21 same (restricting near10 access)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 09:36
S23	15	S21 and (restricting near10 access)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 09:36
S24	198	S21 and ((restricting control controlling) near10 access)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:04
S25	1	"6606695".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:05
S26	20539	709/217 or 711/112 or 711/163 or 713/200 or 713/201 or 711/114	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/28 10:07
S27	26078	711/163 or 711/164 or 713/200 or 713/201 or 709/219 or 709/217 or 709/224 or 709/225	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:47
S28	22110	(hosts adj (id identifi\$6)) ((cluster group node) adj (id identifi\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:23
S29	2215	(add adding remove removing delet\$3) same S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:25
S30	583	(add adding remove removing delet\$3) near5 S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:48

EAST Search History

S31	208421	access near9 (control permit\$4 deny inhibit\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:13
S32	7	S30 same S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:14
S33	76	S29 same S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:14
S34	3382	(hosts near4 (id identifi\$6)) and ((cluster group node) near5 (id identifi\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:24
S35	874	(hosts near4 (id identifi\$6)) same ((cluster group node) near5 (id identifi\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:50
S36	310	(add adding add\$5 remove removing delet\$3) same S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:29
S37	37	(add adding remove removing delet\$3) same S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 10:32
S38	671	(add adding remove removing delet\$3) and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:05
S39	1182	S26 and S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:05
S40	136	S26 and S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:05
S41	19	S26 and S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:05
S42	8642	S26 and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S43	133	S26 and S38	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S44	9	S26 and S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06

EAST Search History

S45	1679	S27 and S28	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S46	217	S27 and S29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S47	38	S27 and S30	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S48	10065	S27 and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S49	420	S27 and S34	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S50	163	S27 and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S51	72	S27 and S36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S52	11	S27 and S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/28 11:06
S53	133183	access near10 control	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 08:32
S54	28280	control same (access near10 storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:32
S55	35735	control\$3 same (access near10 storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:33
S56	21249	(host computer) same ((group near5 host) cluster)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:34
S57	211	S55 same S56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:37
S58	62334	access near10 (privilege permit deny)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:50

EAST Search History

S59	46125	(host computer) same (group near8 (hosts computers))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:38
S60	83	S58 same S59	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:42
S61	1	"20040199736"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:55
S62	0	kamano and dinh-ngoc.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 08:56
S63	1	ito and dinh-ngoc.xa.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:06
S64	2	((host computer) adj (id identifier)) same (group adj (hosts computers) adj (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:48
S65	807	((host computer) near7 (id identifier)) and (group near7 (hosts computers) near7 (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:09
S66	711	((host computer) near7 (id identifier)) same (group near7 (hosts computers) near7 (id identifier))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:09
S67	96	S58 and S66	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59
S68	2017	713/202	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59
S69	183	S68 and S55	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59
S70	48	S68 and S56	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59
S71	0	S68 and S64	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59
S72	10	S68 and S65	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 09:59

EAST Search History

S73	9	S68 and S66	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 10:01
S74	278	(company\$1 company vendor manufactories manufacturer) and (((world\$1wide adj1 name) (world adj1 wide adj1 name) wwn))	US-PGPUB	OR	ON	2005/08/29 14:47
S75	8727	711/163 or 711/164 or 713/200 or 713/201 or 709/219 or 709/217 or 709/224 or 709/225	US-PGPUB	OR	ON	2005/08/29 14:49
S76	22110	(hosts adj (id identifi\$6)) ((cluster group node) adj (id identifi\$6))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 14:48
S77	2	((host computer) adj (id identifier)) same (group adj (hosts computers) adj (id identifier))	US-PGPUB	OR	ON	2005/08/29 14:48
S78	1353	(add adding remove removing delet\$3) same (host computer) same (access permit deny) same storage	US-PGPUB	OR	ON	2005/08/29 14:49
S79	49	S75 and S74	US-PGPUB	OR	ON	2005/08/29 14:49
S80	557	S75 and S76	US-PGPUB	OR	ON	2005/08/29 14:51
S81	0	S75 and S77	US-PGPUB	OR	ON	2005/08/29 14:49
S82	137	S75 and S78	US-PGPUB	OR	ON	2005/08/29 14:49
S83	15817	access near10 (privilege permit deny)	US-PGPUB	OR	ON	2005/08/29 14:50
S84	8796	(add adding add\$5 remove removing delet\$3) same ((cluster group node) near5 (id identifi\$6))	US-PGPUB	OR	ON	2005/08/29 14:51
S85	1137	S75 and S83	US-PGPUB	OR	ON	2005/08/29 14:51
S86	467	S75 and S84	US-PGPUB	OR	ON	2005/08/29 14:51